

FIG.1

FIG.2





FIG.3



PRIOR ART

FIG.4





FIG.5

BP in Block	Contents	Length in bytes
0	Signature of the DMI ("DMI")	3
3	Version number	1
4	DMI update count	4
8	UDA1 start address pointer	4
12	UDA1 end address pointer	4
16	UDA2 start address pointer	4
20	UDA2 end address pointer	4
24	SA2 size	4
28	Number of Replacement List (RPL) entries = N	4
32	RPL entry 0	8
40	RPL entry 1	8
	
(N-1) × 8+32	RPL entry N	8

FIG.6




FIG.7




FIG.8




FIG.9

BP in Block	Contents	Length in bytes
0	Signature of the DMI ("DMI")	3
3	Version number	1
4	DMI update count	4
8	Number of RPL Blocks = 2	2
10	Reserved	6
16	RPL Block 1	32
48	RPL Block 2	32
80	RPL2 entry 0	8
88	RPL2 entry 1	8
	
(N-1) × 8+80	RPL2 entry N	8

FIG.10

BP in Block	Contents	Length in bytes
0	Signature of the RPL Block ("RPL")	3
3	RPL Block number	1
4	UDA start address pointer	4
8	UDA end address pointer	4
12	SA-1 size	4
16	SA-2 size	4
20	Number of RPL entries	4
24	Location of RPL entry 0	2
26	Reserved	6

FIG.11




FIG.12

BP in Block	Contents	Length in bytes
0	Signature of the DMI ("DMI")	3
3	Version number	1
4	DMI update count	4
8	Number of RPL Blocks = 2	2
10	Reserved	6
16	RPL Block 1	64
80	RPL Block 2	64
144	RPL1 entry 0	8
152	RPL1 entry 1	8
	
$(N-1) \times 8 + 144$	RPL1 entry N1	8
$(N-1) \times 8 + 8 + 144$	RPL2 entry 0	8
$(N-1) \times 8 + 16 + 144$	RPL2 entry 1	8
	
$(N1-1) \times 8 + (N2-1) \times 8 + 144$	RPL2 entry N2	8

FIG.13

BP in Block	Contents	Length in bytes
0	Signature of the RPL Block ("RPL")	3
3	RPL Block number	1
4	RPL Block type	1
5	Reserved	3
8	UDA start address pointer	4
12	UDA end address pointer	4
16	Number of Replacement List entries	4
20	Location of RPL entry 0	2
22	Reserved	10
32	RPL Block specific data	32

FIG.14

